

INFORMATION RELEASE

DATE: July 31, 2015	Contact: Ryan Tekac
	Title: Director, Environmental Health Division
	Phone: 330-270-2855 ext. 108
	Email: rtekac@mahoninghealth.org

LAKE NEWPORT Week 1 Results (sampled 7/29/15)

The Mahoning County District Board of Health has sampled and received the results from the first week of sampling at Lake Newport. The three pre-determined locations each had three samples drawn on Wednesday 7/29/15 and the results for E. coli are as follows:

Sample Location	E. coli cfu/100ml
Boathouse (North) Sample 1	< 1.0
Boathouse (North) Sample 2	< 1.0
Boathouse (North) Sample 3	1.0
Bridge (South) Sample 1	123
Bridge (South) Sample 2	127
Bridge (South) Sample 3	101
Boat Launch (Middle) Sample 1	2.0
Boat Launch (Middle) Sample 2	2.0
Boat Launch (Middle) Sample 3	1.0

“The testing of Lake Newport is still in the beginning stages and it’s too early to make any significant correlations with the data. However, the weather conditions during the first week of testing were considerably dry with substantial sun exposure on the lake itself,” says Ryan Tekac, Director of Environmental Health for the Mahoning County District Board of Health.

The Mahoning County District Board of Health will continue to test weekly for the next 11 weeks in order to provide the Mill Creek Metro Parks with data that can be utilized to establish a baseline or trend indicators.

###

